

EX PARTE OR LATE FILED

ORIGINAL

**NORTEL
NETWORKS**

Northern Telecom
801 Pennsylvania Avenue, N.W., Suite 700
Washington, D.C. 20004
Tel 202.508.3605
Fax 202.508.3612

www.nortelnetworks.com

Raymond L. Strassburger
Director,
Government Relations-
Telecom, Internet and Advanced
Technology Policy

RECEIVED

JUN - 5 2000

FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

June 5, 2000

Ms. Magalie Roman Salas
Secretary
Federal Communications Commission
445 Twelfth Street, S.W. Room TWD204
Washington, DC 20544

Re: CC Docket No. 98-147; CC Docket No. 96-98; NSD L-48-00

Dear Ms. Salas:

At the request of FCC staff, please include the enclosed presentation in the record of the referenced proceedings.

If you have any questions, please call me.

Sincerely,


Raymond L. Strassburger
Director, Government Relations-Telecom, Internet
and Advanced Technology Policy

RLS/kc

Enclosures

How the world shares ideas.


No. of Copies rec'd 0
List A B C D E

NORTEL NETWORKS

DLC Loop Sharing May 2, 2000

Author : Wayne Getchell

DLC Loop Sharing Consideration




Considerations

- *Loop owner owns and maintains equipment and wholesales services*
- *Separation of assets at DLC should not be mandated*
- *Loop from DLC to subscriber is treated as a UNE*
- *Competitor is able to provide any loop service offered through DLC equipment*
- *SLA established between loop / equipment owner and competitor defines advanced services envelope*

Loop Sharing OA&M Architecture **NORTEL** NETWORKS™

Model for Integrated Voice & Data Sharing Loop and Sub-loop Unbundling



OA&M Sharing Structure

- Security & permissions is provided for multiple access to the element manager MIBS
- Element Mgmt structured to enables access for MIB sharing sharing

Sharing Requirements



Requirements to promote DLC services sharing


- Business Environment and or legislation supporting DLC loop unbundling for both integrated and DSLAM offers
- OA&M infrastructure including standards to support loop sharing
 - Enable the competitor to provision monitor and bill, set service levels
 - Enable the loop owner to a super set of the competitors capabilities including provisioning, SLA change, fault isolation, diagnostics etc.
- A set of Service Level Agreements (SLAs) provide a framework to support evolving advanced services
 - SLAs include performance guarantees from the subscriber premise to the competitors equipment (includes subscriber loop and backhaul):
 - « Availability
 - « Bandwidth
 - « QoS including: error rate, dropped packets, packet latency
 - classes of SLAs are created representing different service levels available from the DLC equipment.
- SLA and maintenance remain the responsibility of the loop owner.
- Fault isolation and diagnostics remain the responsibility of the loop owner.

NORTEL NETWORKS

***DLC Loop Sharing
May 2, 2000***

Author : Wayne Getchell

DLC Loop Sharing Consideration




Considerations

- **Loop owner owns and maintains equipment and wholesales services**
- **Separation of assets at DLC should not be mandated**
- **Loop from DLC to subscriber is treated as a UNE**
- **Competitor is able to provide any loop service offered through DLC equipment**
- **SLA established between loop / equipment owner and competitor defines advanced services envelope**

Loop Sharing OA&M Architecture **NORTEL NETWORKS™**

Model for Integrated Voice & Data Sharing Loop and Sub-loop Unbundling



OA&M Sharing Structure

- Security & permissions is provided for multiple access to the element manager MIBS
- Element Mgmt structured to enables access for MIB sharing sharing

Sharing Requirements



Requirements to promote DLC services sharing


- Business Environment and or legislation supporting DLC loop unbundling for both integrated and DSLAM offers
- OA&M infrastructure including standards to support loop sharing
 - Enable the competitor to provision monitor and bill, set service levels
 - Enable the loop owner to a super set of the competitors capabilities including provisioning, SLA change, fault isolation, diagnostics etc.
- A set of Service Level Agreements (SLAs) provide a framework to support evolving advanced services
 - SLAs include performance guarantees from the subscriber premise to the competitors equipment (includes subscriber loop and backhaul):
 - « Availability
 - « Bandwidth
 - « QoS including: error rate, dropped packets, packet latency
 - classes of SLAs are created representing different service levels available from the DLC equipment.
- SLA and maintenance remain the responsibility of the loop owner.
- Fault isolation and diagnostics remain the responsibility of the loop owner.

NORTEL NETWORKS

***DLC Loop Sharing
May 2, 2000***

Author : Wayne Getchell

DLC Loop Sharing Consideration




Considerations

- **Loop owner owns and maintains equipment and wholesales services**
- **Separation of assets at DLC should not be mandated**
- **Loop from DLC to subscriber is treated as a UNE**
- **Competitor is able to provide any loop service offered through DLC equipment**
- **SLA established between loop / equipment owner and competitor defines advanced services envelope**

Loop Sharing OA&M Architecture **NORTEL NETWORKS™**

Model for Integrated Voice & Data Sharing Loop and Sub-loop Unbundling



OA&M Sharing Structure

- Security & permissions is provided for multiple access to the element manager MIBS
- Element Mgmt structured to enables access for MIB sharing sharing

Sharing Requirements



Requirements to promote DLC services sharing


- Business Environment and or legislation supporting DLC loop unbundling for both integrated and DSLAM offers
- OA&M infrastructure including standards to support loop sharing
 - Enable the competitor to provision monitor and bill, set service levels
 - Enable the loop owner to a super set of the competitors capabilities including provisioning, SLA change, fault isolation, diagnostics etc.
- A set of Service Level Agreements (SLAs) provide a framework to support evolving advanced services
 - SLAs include performance guarantees from the subscriber premise to the competitors equipment (includes subscriber loop and backhaul):
 - « Availability
 - « Bandwidth
 - « QoS including: error rate, dropped packets, packet latency
 - classes of SLAs are created representing different service levels available from the DLC equipment.
- SLA and maintenance remain the responsibility of the loop owner.
- Fault isolation and diagnostics remain the responsibility of the loop owner.

NORTEL NETWORKS

***DLC Loop Sharing
May 2, 2000***

Author : Wayne Getchell

DLC Loop Sharing Consideration




Considerations

- *Loop owner owns and maintains equipment and wholesales services*
- *Separation of assets at DLC should not be mandated*
- *Loop from DLC to subscriber is treated as a UNE*
- *Competitor is able to provide any loop service offered through DLC equipment*
- *SLA established between loop / equipment owner and competitor defines advanced services envelope*

Loop Sharing OA&M Architecture **NORTEL NETWORKS™**

Model for Integrated Voice & Data Sharing Loop and Sub-loop Unbundling



OA&M Sharing Structure

- Security & permissions is provided for multiple access to the element manager MIBS
- Element Mgmt structured to enables access for MIB sharing sharing

Sharing Requirements



Requirements to promote DLC services sharing


- Business Environment and or legislation supporting DLC loop unbundling for both integrated and DSLAM offers
- OA&M infrastructure including standards to support loop sharing
 - Enable the competitor to provision monitor and bill, set service levels
 - Enable the loop owner to a super set of the competitors capabilities including provisioning, SLA change, fault isolation, diagnostics etc.
- A set of Service Level Agreements (SLAs) provide a framework to support evolving advanced services
 - SLAs include performance guarantees from the subscriber premise to the competitors equipment (includes subscriber loop and backhaul):
 - « Availability
 - « Bandwidth
 - « QoS including: error rate, dropped packets, packet latency
 - classes of SLAs are created representing different service levels available from the DLC equipment.
- SLA and maintenance remain the responsibility of the loop owner.
- Fault isolation and diagnostics remain the responsibility of the loop owner.

NORTEL NETWORKS

***DLC Loop Sharing
May 2, 2000***

Author : Wayne Getchell

DLC Loop Sharing Consideration




Considerations

- **Loop owner owns and maintains equipment and wholesales services**
- **Separation of assets at DLC should not be mandated**
- **Loop from DLC to subscriber is treated as a UNE**
- **Competitor is able to provide any loop service offered through DLC equipment**
- **SLA established between loop / equipment owner and competitor defines advanced services envelope**

Loop Sharing OA&M Architecture **NORTEL NETWORKS**

Model for Integrated Voice & Data Sharing Loop and Sub-loop Unbundling



OA&M Sharing Structure

- Security & permissions is provided for multiple access to the element manager MIBS
- Element Mgmt structured to enables access for MIB sharing sharing

Sharing Requirements



Requirements to promote DLC services sharing

- Business Environment and or legislation supporting DLC loop unbundling for both integrated and DSLAM offers
- OA&M infrastructure including standards to support loop sharing
 - Enable the competitor to provision monitor and bill, set service levels
 - Enable the loop owner to a super set of the competitors capabilities including provisioning, SLA change, fault isolation, diagnostics etc.
- A set of Service Level Agreements (SLAs) provide a framework to support evolving advanced services
 - SLAs include performance guarantees from the subscriber premise to the competitors equipment (includes subscriber loop and backhaul):
 - « Availability
 - « Bandwidth
 - « QoS including: error rate, dropped packets, packet latency
 - classes of SLAs are created representing different service levels available from the DLC equipment.
- SLA and maintenance remain the responsibility of the loop owner.
- Fault isolation and diagnostics remain the responsibility of the loop owner.

NORTEL NETWORKS

***DLC Loop Sharing
May 2, 2000***

Author : Wayne Getchell

Sharing Requirements




Requirements to promote DLC services sharing

- Business Environment and or legislation supporting DLC loop unbundling for both integrated and DSLAM offers
- OA&M infrastructure including standards to support loop sharing
 - Enable the competitor to provision monitor and bill, set service levels
 - Enable the loop owner to a super set of the competitors capabilities including provisioning, SLA change, fault isolation, diagnostics etc.
- A set of Service Level Agreements (SLAs) provide a framework to support evolving advanced services
 - SLAs include performance guarantees from the subscriber premise to the competitors equipment (includes subscriber loop and backhaul):
 - « Availability
 - « Bandwidth
 - « QoS including: error rate, dropped packets, packet latency
 - classes of SLAs are created representing different service levels available from the DLC equipment.
- SLA and maintenance remain the responsibility of the loop owner.
- Fault isolation and diagnostics remain the responsibility of the loop owner.

Loop Sharing OA&M Architecture **NORTEL NETWORKS™**


Model for Integrated Voice & Data Sharing Loop and Sub-loop Unbundling



OA&M Sharing Structure

- Security & permissions is provided for multiple access to the element manager MIBS
- Element Mgmt structured to enables access for MIB sharing sharing

DLC Loop Sharing Consideration



Considerations

- **Loop owner owns and maintains equipment and wholesales services**
- **Separation of assets at DLC should not be mandated**
- **Loop from DLC to subscriber is treated as a UNE**
- **Competitor is able to provide any loop service offered through DLC equipment**
- **SLA established between loop / equipment owner and competitor defines advanced services envelope**


NORTEL NETWORKS

***DLC Loop Sharing
May 2, 2000***

Author : Wayne Getchell

Loop Sharing OA&M Architecture **NORTEL NETWORKS**


Model for Integrated Voice & Data Sharing Loop and Sub-loop Unbundling



OA&M Sharing Structure

- Security & permissions is provided for multiple access to the element manager MIBS
- Element Mgmt structured to enables access for MIB sharing sharing

DLC Loop Sharing Consideration



Considerations

- *Loop owner owns and maintains equipment and wholesales services*
- *Separation of assets at DLC should not be mandated*
- *Loop from DLC to subscriber is treated as a UNE*
- *Competitor is able to provide any loop service offered through DLC equipment*
- *SLA established between loop / equipment owner and competitor defines advanced services envelope*

Sharing Requirements



Requirements to promote DLC services sharing

- Business Environment and or legislation supporting DLC loop unbundling for both integrated and DSLAM offers
- OA&M infrastructure including standards to support loop sharing
 - Enable the competitor to provision monitor and bill, set service levels
 - Enable the loop owner to a super set of the competitors capabilities including provisioning, SLA change, fault isolation, diagnostics etc.
- A set of Service Level Agreements (SLAs) provide a framework to support evolving advanced services
 - SLAs include performance guarantees from the subscriber premise to the competitors equipment (includes subscriber loop and backhaul):
 - « Availability
 - « Bandwidth
 - « QoS including: error rate, dropped packets, packet latency
 - classes of SLAs are created representing different service levels available from the DLC equipment.
- SLA and maintenance remain the responsibility of the loop owner.
- Fault isolation and diagnostics remain the responsibility of the loop owner.